



Reservoir fill

Boise and Payette River Basins



Current U.S. drought monitor

As of June 24, 2020




Water year graph for seven selected reservoirs

(millions/acre-feet)


Selected reservoirs:

- Jackson Lake at dam on Snake River near Moran, WY
- Palisades Dam
- Ririe Dam and Lake on Willow Creek
- Grassy Lake near Moran, WY
- Island Park Dam and Reservoir on Henry's Fork
- American Falls Dam and Reservoir
- Minidoka Dam and Lake Walcott on Snake River




Reservoir fill

Upper Snake River Basin



BLM Idaho current fire situation

As of June 24, 2020



The Surface Water Supply Index (SWSI) is a predictive indicator of surface water availability within a watershed for the spring and summer water use season. The index is calculated by combining pre-runoff reservoir storage (carryover) with forecasts of spring and summer streamflow. SWSI values are scaled from +4.0 (abundant supply) to -4.0 (extremely dry), with a value of zero indicating a median water supply as compared to historical occurrences. The SWSI analysis period is from 1981 to present.


SWSI values provide a more comprehensive outlook of water availability by combining streamflow forecasts and reservoir storage. The SWSI index allows comparison of water availability between basins for drought or flood severity analysis. Threshold SWSI values have been determined for some basins to indicate the potential for agricultural irrigation water shortages.

TABLE 1

Idaho surface water supply index (SWSI) June 24, 2020

Basin or region	SWSI value	Most recent year with similar SWSI value	Agricultural water supply shortage may occur when SWSI is less than
Spokane	-0.1	2017	NA
Clearwater	0.4	1998	NA
Salmon	-1.3	2004	NA
Weiser	-1.5	2014	NA
Payette	-2.4	2013	NA
Boise	-2.6	2013	-2.8
Big Wood above Hailey	-3.0	2007	NA
Big Wood	-1.2	2007	-0.8
Little Wood	-2.1	2013	-1.9
Big Lost	-2.4	2007	0.3
Little Lost	-2.6	2007	1.1
Teton	0.1	2010	-3.9
Henrys Fork	0.4	2012	-3.1
Snake (Heise)	0.9	2014	-1.7
Oakley	1.0	1995	0.8
Salmon Falls above Jackpot	-1.3	2014	NA
Salmon Falls	1.6	1995	-0.8
Bruneau	-1.5	2018	NA
Owyhee	0.9	2005	-2.5
Bear River	-	-	-3.9

SWSI scale, percent chance of exceedance and interpretation



NA = not available / not applicable. Note: The percent chance of exceedance is an indicator of how often a range of SWSI values might be expected to occur. Each SWSI unit represents about 12% of the historical occurrences. As an example of interpreting the above scale, the SWSI can be expected to be greater than -3.0, 87% of the time and less than -3.0, 13% of the time. Half the time, the SWSI will be below and half the time above a value of zero. The interval between -1.5 and +1.5 described as “near normal water supply,” represents three SWSI units and would be expected to occur about one-third (36%) of the time.

Source: USDA Natural Resources Conservation Service